January / February **(1)** . . . . . 1 – 36
March / April **(2)** . . . . . 37 – 90
May / June **(3)** . . . . . 91 – 139
July / August **(4)** . . . . . 141 – 200
September / October **(5)** . . . . . 201 – 243
November / December **(6)** . . . . . 245 – 302

SUBJECT INDEX

Aerial systems, healthy citrus tree canopy detection, scanning densitometer, season effects, 135
ANSI standards, photographic activity test in ANSI standard IT9.2, improvements, 245
Cameras, camera technology, Polaroid's pioneering efforts, 62
Color control, uniform color spaces, influence on color image processing, 232
Computer, design workstation evaluation, 21
Computer graphics
  automated interpolation and visualization, height grids from contour images, 195
  free-form deformation, interactive modeling tool, 181
  interactive editing of volumetric objects, 3D input and output devices, 269
  multidimensional presentation techniques, 142
  n-dimensional data presentation, parallel axes graphics, 259
  n-dimensional hyperplanes, parallel axes computer graphics with linear programming demonstration, 274
  n-dimensional line intersection algorithm, 175
  n-dimensional object intersection algorithm, 177
  parallel axes geometry, *n*-dimensional computer graphics, 168
  parallel axes graphics, binocular parallax graphics comparison, 154
  raytracing, four-dimensional space, 165
  shading the fourth and higher dimensions, 157
  volumetric system, interactive three-dimensional design, 188
Digital imaging
  digital halftones, structure visibility and, 228
  geographical information system, assessment of natural hazards, east-central Sierra Nevada, 57
  palette selection for color images, new approach to, 284
  uniform color spaces, influence on color image processing, 232
Dimensional Cartesian techniques
  raytracing, four-dimensional space, 165
  shading the fourth and higher dimensions, 157
Displays
  automated interpolation and visualization, height grids from contour images, 195
  free-form deformation, interactive modeling tool, 181
  interactive editing of volumetric objects, 3D input and output devices, 269
  multidimensional presentation techniques, 142
  n-dimensional data presentation, parallel axes graphics, 259
  n-dimensional hyperplanes, parallel axes computer graphics with linear programming demonstration, 274
  n-dimensional line intersection algorithm, 175
  n-dimensional object intersection algorithm, 177
  parallel axes geometry, *n*-dimensional computer graphics, 168
  parallel axes graphics, binocular parallax graphics comparison, 154
  raytracing, four-dimensional space, 165
  shading the fourth and higher dimensions, 157
  volumetric system, interactive three-dimensional design, 188
3D modeling techniques
  automated interpolation and visualization, height grids from contour images, 195
  free-form deformation, interactive modeling tool, 181
  interactive editing of volumetric objects, 3D input and output devices, 269
  volumetric system, interactive three-dimensional design, 188
Electronic imaging
  commercial scanners, restoring dark-faded color transparencies, 107
  design workstation evaluation, 21
  fidelity metrics,hexagonally sampled digital imaging systems, 279
  high resolution direct digital color proofing, halftone images, 5
  multidimensional presentation techniques, 142
  palette selection for color images, new approach to, 284
  parallel axes graphics, binocular parallax graphics comparison, 154
Electrophotography
  background development, 84
  charge spectrometer, mono- and dual-component toner, 215
  color xerographic development systems, evolution of, 252
  electrically stable charge directors, liquid toners for high speed printing, 207
  information storage system, 1,4-dithioketo-3,6-diphenyl-pyrrolo-[3,4-c]-pyrrole, 123
  microscopic electrical defects, xerographic photoreceptors, 71
  near-infrared sensitive photoconductors, using oxotitanium phthalocyanine, 202
  negative toner charge, measurement by applying the Millikan Oil Drop method, 291
  titanium oxide phthalocyanine polymorphs, used as organic photoreceptors, 46
  toner and carrier size distribution, image processing method, 115
Electrostatic printing, aminoalcohol partitioning, liquid electrostatic toner particle charging and mobility, 210
Geographic information systems, assessment of natural hazards, east-central Sierra Nevada, 57
Graphic arts
  densitometry and colorimetry, raw material and process control of color inks and graphic arts color, 9
  design workstation evaluation, 21
  high resolution direct digital color proofing, halftone images, 5
  polarizing filters, optical reflection density, 2
  polyolefin coated papers, proofing applications, 24
  standard metrology, colorimetric specifications for printing ink color, 29
  surprint transfer process, ink-on-paper pre-press color proofs, 18

Halftones, digital halftones, structure visibility and, 228
History
  camera technology, Polaroid's pioneering efforts, 62
  color xerographic development systems, evolution of, 252
Illumination, lighting conditions, print display in homes, 127
Image evaluation
  densitometry and colorimetry, raw material and process control of color inks and graphic arts color, 9
  light beam inclination effects, photographic exposures, 37
  polarizing filters, optical reflection density, 2
  standard metrology, colorimetric specifications for printing ink color, 29
Image preservation
  commercial scanners, restoring dark-faded color transparencies, 107
  hydrogen peroxide test, redox blemish formation on processed microfilm, 91
  photographic activity test in ANSI standard IT9.2, improvements, 245
  polysulfide treatment, microfilm, 99
Image processing
  citrus freeze damage detection, natural color and color infrared video systems, 132
  geographical information system, assessment of natural hazards, east-central Sierra Nevada, 57
  healthy citrus tree canopy detection, scanning densitometer, season effects, 135
Ink jet
  high-performance drop-on-demand, deaeration system for, 223
  Kubelka-Munk modeling, ink jet ink mixing, 76
Ink jet printing, deaeration systems, high-performance drop-on-demand ink jet, 223
Ionography, time-resolved charge measurements, ionographic printheads, 51
Liquid crystal, full color printing, two-dimensional bilevel liquid crystal modulator, 67
Magnetic brush development, background development, electrophotography, 84
Microfilm
  hydrogen peroxide test, redox blemish formation on processed microfilm, 91
  polysulfide treatment, microfilm, 99
MTF, light beam inclination effects, photographic exposures, 37
Non-impact printing
  aminoalcohol partitioning, liquid electrostatic toner particle charging and mobility, 210
  charge spectrometer, mono- and dual-component toner, 215
  deaeration systems, high-performance drop-on-demand ink jet, 223
  digital halftones, structure visibility and, 228
  dynamic characteristics of thermo-fusible ink, print quality relations in thermal transfer printing, 119
  electrically stable charge directors, liquid toners for high speed electrophotographic printing, 207
  full color printing, two-dimensional bilevel liquid crystal modulator, 67
  Kubelka-Munk modeling, ink jet ink mixing, 76
  near-infrared sensitive electrophotographic photoconductors, using oxotitanium phthalocyanine, 202
  time-resolved charge measurements, ionographic printheads, 51
  titanium oxide phthalocyanine polymorphs, used as organic photoreceptors, 46
  uniform color spaces, influence on color image processing, 232
Paper, polyolefin coated papers, proofing applications, 24
Parallel axes techniques
  n-dimensional data presentation, parallel axes graphics, 259
  n-dimensional hyperplanes, parallel axes computer graphics with linear programming demonstration, 274
  n-dimensional line intersection algorithm, 175
  n-dimensional object intersection algorithm, 177
  parallel axes geometry, *n*-dimensional computer graphics, 168
Permanence
  hydrogen peroxide test, redox blemish formation on processed microfilm, 91
  photographic activity test in ANSI standard IT9.2, improvements, 245
  polysulfide treatment, microfilm, 99
Photoconductor
  information storage system, 1,4-dithioketo-3,6-diphenylpyrrolo-[3,4-c]-pyrrole, 123
  near-infrared sensitive photoconductors, using oxotitanium phthalocyanine, 202
Photofinishing, lighting conditions, print display in homes, 127
Photographic imaging
  camera technology, Polaroid's pioneering efforts, 62
  lighting conditions, print display in homes, 127
Photo receptor
  microscopic electrical defects, xerographic photoreceptors, 71
  titanium oxide phthalocyanine polymorphs, used as organic photoreceptors, 46
Prepress, surprint transfer process, ink-on-paper pre-press color proofs, 18
Print imaging
  background development, electrophotography, 84
  dynamic characteristics of thermo-fusible ink, print quality relations in thermal transfer, printing, 119
  full color printing, two-dimensional bilevel liquid crystal modulator, 67
  information storage system, 1,4-dithioketo-3,6-diphenylpyrrolo-[3,4-c]-pyrrole, 123
  Kubelka-Munk modeling, ink jet ink mixing, 76
  microscopic electrical defects, xerographic photoreceptors, 71
  negative toner charge, measurement by applying the Millikan Oil Drop method, 291
  thermal transfer printing, heat amplification and, 295
Process control, densitometry and colorimetry, raw material and process control of color inks and graphic arts color, 9
Proofing, polyolefin coated papers, proofing applications, 24
Proofing, color
  high resolution direct digital color proofing, halftone images, 5
  surprint transfer process, ink-on-paper pre-press color proofs, 18
Quality control, standard metrology, colorimetric specifications for printing ink color, 29
Remote sensing
  citrus freeze damage detection, natural color and color infrared video systems, 132
  healthy citrus tree canopy detection, scanning densitometer, season effects, 135
Sensitometry, light beam inclination effects, photographic exposures, 37
Storages, hydrogen peroxide test, redox blemish formation on processed microfilm, 91
Systems analysis, fidelity metrics, hexagonally sampled digital imaging systems, 279
Thermal printing
  dynamic characteristics of thermo-fusible ink, print quality relations in thermal transfer printing, 119
  heat amplification and, 295
Tone reproduction, commercial scanners, restoring dark-faded color transparencies, 107
Toner
  liquid
    aminoalcohol partitioning, 210
    high speed printing, electrically stable charge directors for, 207
  mono- and dual-component, charge spectrometer for, 215
  negative charge, measurement by applying the Millikan Oil Drop method, 291
Toner image analysis, image processing method, 115

Tutorial, color xerographic development systems, evolution of, 252
Video systems, citrus freeze damage detection, natural color and color infrared video systems, 132
Xerography
color xerographic development systems
evolution of, 252
microscopic electrical defects, xerographic photoreceptors, 71

AUTHOR INDEX

Abe, T. and S. Kitamura
Relation between Dynamic Characteristics of Thermo-Fusible Ink and Print Quality in Thermal Transfer Printing, 119
Adelstein, P. *See* Nishimura, W., et al., 245
Adelstein, P. Z., J. M. Reilly, D. W. Nishimura, and K. M. Cupriks
Hydrogen Peroxide Test to Evaluate Redox Blemish Formation on Processed Microfilm, 91
Adelstein, P. Z. *See* Reilly, J. M., et al., 99
Allebach, J. *See* Balasubramian, R., 284
Anderson, R. J. *See* Anderson, S. I., 127
Anderson, S. I. and R. J. Anderson
A Study of Lighting Conditions Associated with Print Display in Homes, 127
Aviram, A., K. K. Shih, and K. Sachdev
Thermal Transfer Printing with Heat Amplification, 295
Balasubramian, R. and J. Allebach
A New Approach to Palette Selection for Color Images, 284
Barrett, W. A. *See* Cluff, E., et al., 142
Barrett, W. A. *See* Petersen, S. M., et al., 195
Barrett, W. A. *See* Richardson A. E., et al., 188
Barrett W. A. *See* Broekhuijsen, J. A., et al., 269
Bartels, S. A., R. S. Fisch, and T. A. Henderson
A Study Involving the Use of Densitometry and Colorimetry for the Raw Material and Process Control of Color Inks and Graphic Arts Color Printing, 9
Beardsley, G. *See* Schein, L. B., et al., 84
Blazquez, C. H.
Detection of Citrus Freeze Damage with Natural Color and Color Infrared Video Systems, 132
The Effect of Seasons on the Detection of Healthy Citrus Tree Canopies with a Scanning Densitometer, 135
Bringhurst, G. L. and R. P. Burton
Section II—n-Dimensional Cartesian Techniques: Raytracing in Four-Dimensional Space, 165
Broekhuijsen, J. A., R. P. Burton, and W. A. Barrett
Interactive Editing of Volumetric Objects with 3D Input and Output Devices, 269
Buchan, W. R. *See* Caley, W. J. Jr., et al., 51
Burton, J., K. Miller, and S. Park
Fidelity Metrics for Hexagonally Sampled Digital Imaging Systems, 279
Burton, R. P.
Introduction to Special Issue, 141
Burton, R. P. *See* Bringhurst, G. L., 165
Burton, R. P. *See* Broekhuijsen, J. A., et al., 269
Burton, R. P. *See* Carey, S. A., 154
Burton, R. P. *See* Cluff, E., et al., 142
Burton, R. P. *See* Curtis, D. B., 154
Burton, R. P. *See* Curtis, D. B., et al., 168, 175
Burton, R. P. *See* Davis, R. O., 181
Burton, R. P. *See* Isaacson, P. L., 177
Burton, R. P. *See* Petersen, S. M., et al., 195
Burton, R. P. *See* Richardson A. E., et al., 188
Burton, R. P. *See* Smith, G. G., 259
Burton, R. P. *See* Whiteley, G. R., et al., 274
Caley, W. J. Jr., W. R. Buchan, and T. W. Pape
Time-Resolved Charge Measurements on Ionographic Printheads, 51
Campbell, D. M. *See* Curtis, D. B., et al., 168, 175
Carey, S. A. and R. P. Burton
Section II—n-Dimensional Cartesian Techniques: Shading the Fourth and Higher Dimensions, 157
Cassell, B. *See* McCune, W. J. Jr., 62
Celio, T., F. Mast, and H. Ott
The Use of Polarizing Filters in the Measurement of Optical Reflection Density, 1
Cluff, E., R. P. Burton, and W. A. Barrett
Section I—Overview: A Survey and Characterization of Multidimensional Presentation Techniques, 142
Colestock, R. and R. Fisch
A Contribution towards a Standard Metrology for the Colorimetric Specification of Printing Ink Color, 29
Cupriks, K. M. *See* Adelstein, P. Z., et al., 91
Cupriks, K. M. *See* Reilly, J. M., et al., 99
Curtis, D. B., R. P. Burton, and D. M. Campbell
Section III—Parallel Axes Techniques: Parallel Axes Geometry for n-Dimensional Computer Graphics, 168
Curtis, D. B. and R. P. Burton
Section I—Overvies: A Comparison of Parallel Axes Graphics and Binocular Parallax Graphics, 154
Curtis, D. B. Curtis, R. P. Burton, and D. M. Campbell
Section III—Parallel Axes Techniques: An n-Dimensional Line Intersection Algorithm, 175
Davis, R. O. and R. P. Burton
Section IV—3-D Modeling Techniques: Free-Form Deformation as an Interactive Modeling Tool, 181
Edge, D. J. *See* Souter, J., et al., 5
Eklund, C. *See* Schein, L. B., et al., 84
El-Sayed, L. *See* Larson, J. R., et al., 210
Fisch, R. *See* Colestock R., 29
Fisch, R. S. *See* Bartels, S. A., et al., 9
Fowler, K. J. *See* Terris, B. D., 215
Fujimaki, Y., H. Tadokoro, Y. Oda, H. Yoshioka, T. Homma, H. Moriguchi, K. Watanabe, A. Konishita, N. Hirose, A. Itami, and S. Ikeuchi
Near-Infrared Sensitive Electrophotographic Photoconductors Using Oxotitanium Phthalocyanine, 202
Gibson, G. A. and R. H. Luebbe
Electrically Stable Charge Directors for Liquid Toners for High Speed Electrophotographic Printing, 207
Gotoh, T. *See* Takano, S., et al., 46
Haddon, N.
Design Workstation Evaluation, 21
Hays, B. *See* Whiteley, G. R., et al., 274
Hays, D. A.
The Evolution of Color Xerographic Development Systems, 252
Held, R. P.
A Surprint Transfer Process for Making Ink-on-Paper Pre-Press Color Proofs, 18
Henderson, T. A. *See* Bartels, S. A., et al., 9

Hine, N. P.
Deaeration System for a High-Performance Drop-On-Demand Ink Jet, 223
Hirose, N. *See* Fujimaki, Y., et al., 202
Homma, T. *See* Fujimaki, Y., et al., 202
Iglesias, P. *See* Popovic, S. D., et al., 71
Ikeuchi, S. *See* Fujimaki, Y., et al., 202
Isaacson, P. L. and R. P. Burton
Section III—Parallel Axes Techniques: An n-Dimensional Object Intersection Algorithm, 177
Itami, A. *See* Fujimaki, Y., et al., 202
Kang, H. R.
Kubelka-Munk Modeling of Ink Jet Ink Mixing, 76
Kitamura S. *See* Abe, T., 119
Konishita, A. *See* Fujimaki, Y., et al., 202
Kutsuwada, N., Y. Nakamura, and S. Sasabe
Size Distribution of Electrophotographic Toner and Carrier by Image Processing Method, 115
Kutsuwada, N., Y. Nakamura, S. Sasabe, and M. K. Mazumder
A Measurement of Negative Toner Charge by Applying the Millikan Oil Drop Method, 291
Lane, G. A. *See* Larson, J. R., et al., 210
Larson, J. R.
Introduction to Special Issue, 201
Larson, J. R., G. A. Lane, J. R. Swanson, T. J. Trout, and L. El-Sayed
Effect of Aminoalcohol Partitioning on Liquid Electrostatic Toner Particle Charging and Mobility, 210
Luebbe, R. H. *See* Gibson, G. A., 207
Mahy, M., B. Van Mellaert, L. Van Eycken, and A. Oosterlinck
The Influence of Uniform Color Spaces on Color Image Processing: A Comparative Study of CIELAB, CIELUV, and ATD, 232
Mast, F. *See* Celio, T., et al., 1
Masumori, T. *See* Ooba, Y., 67
Matsui, N. *See* Takano, S., et al., 46
Mazumder, M. K. *See* Kutsuwada, N., et al., 291
McCune, W. J. Jr., and B. Cassell
Simplifying Camera Technology: Polaroid's Pioneering Efforts, 62
Miller, K. *See* Burton, J., et al., 279
Mimura, Y. *See* Takano, S., et al., 46
Mizuguchi, J. and A. Rochat
Information Storage System Based on 1,4-Dithioketo-3,6-Diphenyl-Pyrrolo-[3,4-c]-Pyrrole, 123
Moriguchi, H. *See* Fujimaki, Y., et al., 202
Nakamura, Y. *See* Kutsuwada, N., et al., 115, 291
Nallick, N. A. *See* Souter, J., et al., 5
Nishimura, D. W. *See* Adelstein, P. Z., et al., 91
Nishimura, D. W. *See* Reilly, J. M., et al., 99
Nishimura, W., J. Reilly, and P. Adelstein
Improvements to the Photographic Activity Test in ANSI Standard IT9.2, 245
Oda, Y. *See* Fujimaki, Y., et al., 202
Ohde, N. *See* Takano, S., et al., 46
Oittinen, P. T. *See* Saareima, H. J., 228
Ooba, Y. and T. Masumori
Full Color Printing with a Two-Dimensional Bilevel Liquid Crystal Modulator, 67
Oosterlinck, A. *See* Mahy, M., et al., 232
Ott, H. *See* Celio, T., et al., 1
Pape, T. W. *See* Caley, W. J. Jr., et al., 51
Parco, D. *See* Popovic, S. D., et al., 71
Park, S. *See* Burton, J., et al., 279
Petersen, S. M., W. A. Barrett, and R. P. Burton
Section IV—3-D Modeling Techniques: A System for Automated Interpolation and Visualization of Height Grids from Contour Images, 195
Popovic, Z. D., P. Iglesias, D. Parco, and S. Robinette
Characterization of Microscopic Electrical Defects in Xerographic Photoreceptors, 71
Reilly, J. M., D. W. Nishimura, K. M. Cupriks, and P. Z. Adelstein
Polysulfide Treatment for Microfilm, 99
Reilly, J. M. *See* Adelstein, P. Z., et al., 91
Reilly, J. *See* Nishimura, W., et al., 245
Richardson, A. E., R. P. Burton, and W. A. Barrett
Section IV—3-D Modeling Techniques: A Volumetric System for Interactive Three-Dimensional Design, 188
Robinette, S. *See* Popovic, S. D., et al., 71
Rochat, A. *See* Mizuguchi, J., 123
Saareima, H. J. and P. T. Oittinen
Digital Halftones and Structure Visibility, 228
Sachdev, K. *See* Aviram, A., et al., 295
Sasabe, S. *See* Kutsuwada, N., et al., 115, 291
Schein, L. B., G. Beardsley, and C. Eklund
Background Development in Electrophotography, 84
Shih, K. K. *See* Aviram, A., et al., 295
Simpson, S. M.
Polyolefin Coated Papers in Proofing Applications, 24
Skau, C. M. *See* Varnum, N. C., et al., 57
Smith, G. G. and R. P. Burton
The Effective Presentation of n-Dimensional Data Using Parallel Axes Graphics, 259
Souter J., C. J. Edge, and N. A. Nallick
High Resolution Direct Digital Color Proofing of Halftone Images: The Requirements and the Realities, 5
Swanson, J. R. *See* Larson, J. R., et al., 210
Tadokoro, H. *See* Fujimaki, Y., et al., 202
Takano, S., Y. Mimura, N. Matsui, K. Utsugi, T. Gotoh, C. Tani, K. Tateishi, and N. Ohde
Characteristic of Titanium Oxide Phthalocyanine Polymorphs Used as Organic Photoreceptors, 46
Tani, C. *See* Takano, S., et al., 46
Tateishi, K. *See* Takano, S., et al., 46
Terris, B. D. and K. J. Fowler
Charge Spectrometer for Mono- and Dual-Component Toner, 215
Trout, T. J. *See* Larson, J. R., et al., 210
Tueller, P. T. *See* Varnum, N. C., et al., 57
Tuovinen, P. V.
Effects of Light Beam inclination on Sensitometric Properties of Silver Halide Photographic Materials, 37
Utsugi, K. *See* Takano, S., et al., 46
Van Eycken, L. *See* Mahy, M., et al., 232
Van Mellaert, B. *See* Mahy, M., et al., 232
Varnum, N. C., P. T. Tueller, and C. M. Skau
A Geographical Information System to Assess Natural Hazards in the East-Central Sierra Nevada, 57
Wallace, J.
The Use of Commercial Scanners to Restore Dark-Faded Color Transparencies, 107
Watanabe, K. *See* Fujimaki, Y., et al., 202
Whiteley, G. R., R. P. Burton, and B. Hays
Representing n-Dimensional Hyperplanes Using Parallel Axes Computer Graphics with a Linear ProgramnDnn, 274
Yoshioka, H. *See* Fujimaki, Y., et al., 202